

SNAB GRAPHIX (INDIA) Pvt. Ltd.







DOUBLE SIDED TISSUE, NON-WOVEN, POLYSTER, FOAM TAPE VHB (ACRYLIC FOAM TAPE), ADHESIVE TRANSFER TAPES, PERFORMANCE LABEL, SPECIALITY TAPES AND ADHESIVES

91091



91088



4026



PRIMER 94



VHB ACRYLIC FOAM TAPE



467 MP



468 MP



VELCRO



6010



93010 LSE TAPE



UV CURABLE



AEROSOLVE SPRAYABLE ADHESIVES









MASKING TAPE



EPOXY ADHESIVES WITH APPLICATOR GUN



LANE/FLOOR MARKING TAPES



ANTI-SKID/ SLIP TAPES



FLEXO MOUNTING TAPES



PERFORMANCE LABEL MATERIAL

93025

7815 / 7816





7818



7860

3812 **DESTRUCTIBLE**



7847 LASER MARKABLE



7051SA







7246 - PETROL /



7381



7871/2/6 LOW SURFACE ENERGY



SCREEN VINYL





7214SA **BRUSH SILVER**



VOID LABEL



7110 - PAPER TAMPER AVIDENT

















5015 GA 808 5000NS 501L









Applications:

For general bonding of metal plates, plastic plates and foam.

Uses:

Bonding of cushioning and sealing materials in: Printers, Copiers, Televisions,
 Other office equipment and home appliances.

TEFLON TAPES

923S







973 ZRS HEAT SEALING TAPE



Application for 923S

- For roll wrapping in polyethylene laminator
- For insulation of coils as a class H insulating material.
- Orange PTFE tape and use oriented polytetrafluoroethylene (PTFE) film as a based material. Single surface treated and coated with a silicone adhesive can prevent with high heat and friction resistance.

Applications for 975ZRS

- Heat insulation material under the veneer
- Heat packaging equipment
- Plastic machine, heat sealing machine, cutting machine, R machine, heating pipes, heat sealing machine, drying machine, dryer, hair dryer, dyeing, paper and printing, photocopying machines veneer materials.
- Heat insulation of electrical appliances and equipment.
- PCB, LCD manufacturing.

HYPERJOINT® ACRYLIC FOAM BASE STRONG ADHESIVE H7000/H8000/ H9000 SERIES



4088H / 4058R7 SURFACE PROTECTION RESIDUE FREE TAPE



PVC VINYL TAPE FOR WIRE HARNESSES NO.2101TV / NO.2400 / NO.2450



5015T



LED LIGHT MANUFACTURE



Applications:

- Fixing of LED substrate to chassis
- Fixing of CPU to heat sink or heat radiation fan
- Fixing of various semiconductor packages to heat sinks.
- Fixing of electronic components to heat radiation sheet

512 - DOUBLE COATED ADHESIVE TAPE



Applications:

- Bonding and fixing of foam materials
- Fixing of plastic display plates
- For bonding films or paper


AUTOMOBILE INDUSTRIES







Engineered Conductive Materials, LLC an Engineered Materials Systems, Inc. Company




SILVER, CARBON CONDUCTIVE INK & DI-ELECTRIC (MASKING) INK

Membrane Switches




Biosensors




Flex Circuits








High Performance Hard Coated Polyester films



Products:

F150, F200, V150, V200, EBA180, EBA 130, EBG180, EBG130, CT3, CT4, CT5, CT7









ECKART MIRROR, RAINBOW INKS & PIGMENTS SPECIAL EFFECT PIGMENTS | METALLIC POWDERS

APPLICATION FOR AUTOMOTIVE DECALS, NAME PLATES, POLYCARBONATE AND PVC LABELS & VINYL (OUTDOOR) **OUR ECKART PRODUCTS ARE USED IN POP STICKERS FOR BELOW COMPANIES**









SCREEN PRINTING INKS FOR TEXTILE / LABEL / GRAPHIC / DECALS / FLEXO UV INKS



FUJ!FILM





Fong Yong Chemical Co. Ltd., Taiwan

EPOXY DOMING LABEL CHEMICALS

Manual Application - 3:1 Ratio

EPOXY CHEMICAL

Special Quality Epoxy chemical for Dome Label. The chemical is on par to PU. It does not turn yellowish, will not become hard and will not delaminate at least for 18 months.

Applications for Decoration, Ornaments, Gift & Souvanirs

suits for various materials such as metal parts and plastic products ex., stickers, labels, auto motive emblems, solar panels, badges, luggage tags, key-rings, name plates, picture-frames, metal parts, signs, button, pvc, pc, abs, products various promotional accessories etc.,







SINGLE POT EMULSIONS





Smart Mesh by





The SmartMesh brand from Nittoku has earned respect and accolades globally. Backed with more than 50 years of intensive in-house research and development effort, Nittoku is known for innovation, quality, reliability and the in-built 'smart factor' of SmartMesh. The Nittoku range includes screen printing fabrics, filter fabrics, civil engineering and industrial fabrics as well as metallic mesh fabrics.

TAIWAN POLYSTER SCREEN MESH

Bolting Cloth Features & advantages:

- 1. High durability and best tensility: all threads are the believe mestic or imported.
- 2. Nice appearance, standard size: all are imported worldly advanced production lines from Switzerland.
- 3. Clean and never depigment
- 4. Faster turnaround time from the screen room to the pressroom
- 5. Good diathermancy
- 6. High air permeability
- 7. Acid resistance and Alkali resistance
- 8. Long working life & Hard wear





SCREEN MAKING CHEMICALS

CHEMICALS = EMULSIONS = STENCIL FILMS



The world's leading manufacturer of stencil making products, screen process printing chemicals, emulsions and films, the Ulano name itself is a global byword for quality, delivery and continuous research-led product development. Ulano's unmatched reputation has been built on sustained delivery against product promises beyond customer expectations.

Channel Partners of :





FRAMES, ADHESIVE & HARDNER

ALBERT ROSE CHEMICALS (I) PVT. LTD.

POLYURETHANE SQUEEGEE RUBBER







Polycarbonate Film / Sheet



Applications: Name Plates, Membrane Switches, Graphic Overlays, IMD, Electronic Insulation Parts









General Grade | Flame Retardant Grade **Halogen-Free / Flame Retardant Grade Light Diffusion Grade**







COOPERATIVE BRANDS

TOSHIBA

SIEMENS

FOXCONN



Panasonic









Hisense 油信









OMRON

Haier





RIGID PVC SHEETS

Suzhou Ocan Plastic Co. Ltd., China

Suzhou Ocan Plastic Co., Ltd. is a joint venture invested by Suzhou, Jichuang Trade Co., Ltd. and Hongkong Jiarun Development Co., Ltd., and mainly engages in R&D and manufacturing of top PVC extruding sheet, plate and film.

PRODUCT RANGES:

- PVC color series
- PVC black series
- PVC white series
- PVC frosted sheet
- PVC transparency

RoHS





















Cleaning Consumables of Screen & Substrate

Adhesive Cleaning Roller

For Cleaning the Substrate to online Cleaning Machine (Technic Machine)

3 Inch Core













Manual Static Cleaning Roller, Silicone Sticky Roller



Sticky Pad



Manual Cleaning Adhesive Roller with Handle




Silicon Roller for Machine

Cleaning Wipes







TACCLOTH NORMAL & LINT FREE FOR CLEANING THE DUST LINT ON SUBSTRATE

POLYSTER LINT FREE CLEANROOM WIPES

















Thoroughly clean metal surfaces prior to primer application. Remove protective oils, cutting oils and greases by solvent degreasing or alkaline cleaning. Remove rust, scale or oxide coatings by suitable chemical or mechanical cleaning methods.





INDUSTRIAL EQUIPMENT











Different Brand Adhesive Tapes











DOUBLE SIDED TISSUE TAPES | ADHESIVE TRANSFER TAPES | DOUBLE SIDED POLYESTER TAPES ACRYLIC FOAM TAPES | DOUBLE SIDED POLYESTER WITH DOUBLE SIDED LINER **HEAT ACTIVITED TAPES | SINGLE SIDED TAPE**









- ADHESIVE TAPE (TAN & CLEAR) TACO CELO TAPES
- WATER SOLVABLE PACKING TAPE











SOLVENT ACRYLIC ADHESIVE

IF USE ABOVE NORMAL TAPE ADHESIVE TRANSFER TO SCREEN











FLEXIBLE PACKAGING PRINTING PLATE MOUNTING WITH FOAM TAPES

PLATE MOUNTING FOAM TAPE RANGE OFFERS DIFFERENT FOAM HARDNESSES TO ENSURE EXCELLENT PRINT RESULTS IN PACKAGING PRINTING. ESPECIALLY FOR DEMANDING COLOR SEPARATIONS AND VARYING KINDS OF SUBSTRATES FROM SOLIDS TO FINEST SCREEN COUNTS.






















Metalized Polyester Film for Screen Printing

(From 25 Microns to 200 Microns)

Chrome Silver







Matt Silver



Rainbow Silver

Security Label Materials



Ultra Destructible Label Clear / White Matt



Temper Evident Synthetic HDPE



Void Material



Eco-friendly unique printing media for advertising and decoration





FREUDENBERG TO SHOWCASE INNOVATIVE, **ENVIRONMENTALLY FRIENDLY EVOLON® PRINTING SUBSTRATE**

Basically compatible with screen printing and inkjet printing: latex inks, UV-cured inks, sublimation transfer

High-Tech wiping

CLEANING & DRYING | BATH TOWELS



Cleaning cloths, wipes and tea towels

Thanks to unrivalled performance, microfilaments wipe out traditional microfiber.

- For cleaning, wiping, drying
 - cleaning cloths and dusters
 - . tea towels

 - industrial wipes, surface preparation
 - rental laundered towels

- Dust, dirt, grease, ink and other liquids are easily removed.
- Surfaces are left immaculate.
- Usable with no detergent.
- Light weight and easy care.
- Washable, re-usable, ecological.

China Acrylic Foam Tapes















Acrylic Foam Tape:

- Grev Colour AFT
- White Colour AFT
- Black (+) Colour AFT
- Clear AFT

Applications:

- Automotive Application
- Elevator Application
- Electronics Application
- Sign Board Application
- Metal Fabrication





Products For Solar Industry



PV Connector Series-S418

TUV/UL 1500V High Current Connectors

F-Type (Cable Mount)



F-Type (Panel Mount)



PV Connector Series-S415

Branch Connectors 1500V - Branch Fuse Connectors 1000V

▼ S415-1

▼ S415-4



▼ S415-2



▼ S415-5



F:T-N



Medium Voltage Fuse



Compact High Speed Fuse



Junction Box Series-S411

1000/1500V 16A Split Type



◀ Split Type: Shorter Cable



for Connection





Thin Design for Bifacial Module



Junction Box Series-S41A

1000/1500V 17A

1500V/17A | Easy Installation/Removal Design



30A Diode for Max 17A Module Isc Application

High Performance Design



Slim and Wide Conductive Strip Design for Effective Heat Dissipation

Junction Box Series-S416

TUV1500V/UL1500V / IP67/IP68

TUV/UL1500V | Ribbon Connection Method



Soldering Type



Clamping Type

Robust Structure in Compact Size



Cable Output in the Two Sides of Box for Reducing Cable Length.



Extra Outer Surface for Heat Dissipation



RoHS Compliant TUV Cert. # 50373802 UL File #E330398



Products For Solar Industry

3M UV1 Cell Positioning Tape



Automatic Tape Dispenser M/C



7818 Performance label For Solar panel



3M 375 Scotch tape





DEALERS OF SPECIALISED & ADVANCED SCREEN PRINTING, LABEL PRINTING MATERIALS, ADHESIVES, ADHESIVE TAPES, PVC MATERIALS & POLYCORBONATE SHEETS & ROLLS

HEAD OFFICE:

No. 107, Avalahalli Cross Road, New Timber Yard layout, Mysore Road, Bangalore-560026.

Tel: +91-80-26759040 / 26755398 Fax: +91-80-26759050

E-mail: sales@snabgraphix.in

BRANCH OFFICES:

DELHI:

A84/2, 1st Floor, Naraina Industrial Area, Phase 1, New Delhi - 110 028.

HARYANA:

No. 395, V & PO Rohad, Near Animal Hospital, Old Delhi - Rohtak Road, Village Rohad, Bahadurgarh, Dist. Jhajjar, Haryana - 124 507. Mobile: +91 74111 12266, 98807 15791

CHENNAI:

36, SIDCO Industrial Estate, Thirumazhisai, Chennai - 600124.

www.snabgraphix.in